

环境要求

JDK 1.8
Tomcat 8.5+

报文地址

开发: <http://localhost:8084/outcome/services/indexWebService?wsdl>
测试: <http://10.153.80.111:8084/outcome/services/indexWebService?wsdl>
生产: <http://10.129.82.175:8084/outcome/services/indexWebService?wsdl>

接口方法及入参

```
package taikang.outcome.index.webservice;

import org.springframework.web.bind.annotation.RequestParam;

import javax.jws.WebMethod;
import javax.jws.WebService;

/**
 * web服务接口
 * 返回数据统一为Json格式
 */
@WebService
public interface IndexWebService{
    /**
     * 获取主表数据,入参为Json字符串
     * 参数细节如下:
     * @RequestParam(name="depCode",required=true) String depCode,
     * @RequestParam(name="requireKey",required=true) String requireKey,
     * @RequestParam(name="requireUser",required=true) String requireUser,
     * @RequestParam(name="keyword",required=false) String keyword,
     * @RequestParam(name="checkedOrgs",required=false) String checkedOrgs,
     * @RequestParam(name="checkedRiskType",required=false) String checkedRiskType,
     * @RequestParam(name="checkedModelNames",required=false) String checkedModelNames,
     * @RequestParam(name="checkedPhStatusCodes",required=false) String checkedPhStatusCodes,
     * @RequestParam(name="pageIndex",required=false) Integer pageIndex,
     * @RequestParam(name="pageSize",required=false) Integer pageSize,
     * @RequestParam(name="dateFrom",required=false) String dateFrom,
     * @RequestParam(name="dateTo",required=false) String dateTo
     */
    @WebMethod
    @IndexWebMethod
    String queryMainData(String params);

    /**
     * 查看主表明细
     * OutcomeDetail集合类
     * @param mainId
     * @return
     */
    @WebMethod
    String queryDetailData(
        @RequestParam(name = "mainId", required = true) String mainId
    )
}
```

```
);

/**
 * 查看其他表数据
 * @param tableWithSchema Schema及表名
 * @param conditionKey 条件字段
 * @param paramValue 字段值
 * @return
 */
@WebMethod
String queryObjData(
    @RequestParam(name = "table", required = true) String tableWithSchema,
    @RequestParam(name = "condition", required = true) String conditionKey,
    @RequestParam(name = "param", required = true) String paramValue
);

/**
 * 查询及更新赔核意见
 * @param mainId
 * @param oaId 赔核用户OA账号
 * @param close 是否关闭赔核意见栏,
 *             查询时需要判断主表数据中的核赔状态码: phStatus=="2"时, 传true否则传false
 * @param detail 赔核意见内容, 赔核意见内容为空时(null或空串), 只做查询。
 * @return
 */
@WebMethod
String updatePhDetails(
    @RequestParam(name="mainId",required=true) String mainId,
    @RequestParam(name="oaId",required=true) String oaId,
    @RequestParam(name="close",required=true) boolean close,
    @RequestParam(name="detail",required=false) String detail
);

/**
 * 根据风险分类获取模型名称列表
 * @param riskCategory 风险分类
 * @param checkedModelNames 选中的模型名称
 * @return
 */
@WebMethod
String queryModelNamesByRiskCategory(
    @RequestParam(name="riskCategory",required=false) String riskCategory,
    @RequestParam(name="checkedModelNames",required=false) String checkedModelNames
);

/**
 * 根据用户所在部门, 获取其权限范围内的机构编码
 * @param depCode 用户所在部门
 * @return
 */
@WebMethod
@IndexWebMethod
String queryFolJgdjs(
    @RequestParam(name="depCode",required=true) String depCode
);

/**
 * 获取风险分类信息
 * @return
 */
```

```

@WebMethod
@IndexWebMethod
String queryRiskTypes();

/**
 * 根据赔核状态码,获取核赔意见描述信息
 * @param checkedPhStatusCodes 所选核赔状态码
 * @return
 */
@WebMethod
@IndexWebMethod
String queryPhStatus(
    @RequestParam(name="checkedPhStatusCodes",required=false) String
checkedPhStatusCodes
);
}

```

测试案例

queryMainData

```

public static void main(String[] args) {
    IndexWebService ws = AxisClientBuilder.build().proxy(IndexWebService.class);
    Map<String,Object> params = new HashMap<>();
    params.put("depCode", "710");
    params.put("requireKey", "6c2274fb6e237b829852a40569d80204feb77fc6638e7d5b");
    params.put("requireUser", "wanghf46");
    params.put("keyword", null); //搜索关键词
    params.put("checkedOrgs", null); //所选机构码
    params.put("checkedRiskType", null); //所选风险分类
    params.put("checkedModelNames", null); //所选模型名称, 多个模型之间逗号分隔
    params.put("checkedPhStatusCodes", "1,2"); //所选核赔状态, 0-未处置, 1-已处置未关闭, 2-已关闭
    params.put("pageIndex", 0);
    params.put("pageSize", 5);
    params.put("dateFrom", null);
    params.put("dateTo", null);

    String data = ws.queryMainData(JSONObject.toJSONString(params));
    System.out.println(data);
}

```

结果反馈

```
{ "code": 1, "data": { "pageInfo": { "count": 12, "pageCount": 3, "pageIndex": 1, "pageSize": 5 }, "mainList": [ { "applycompanycode": "4100", "applycompanyname": "贵州分公司", "applydepartname": "贵州分公司", "applytime": 1608025408000, "fapplycompanyname": "贵州分公司", "instanceCSource": "APPLYID", "instanceId": "20120060965430", "instanceSource": "报销记录", "instanceTSource": "DWUSER3.FOL_MAIN", "loadTime": 1608148936000, "mainId": "M_FP_0001_02_20120060965430_", "modelId": "M_FP_0001_02", "modelName": "出租车发票跨单连号", "object": "", "objectCSource": "", "objectExplain": "关联单号: 20110060798504, 连号情况: 15201020_15201018", "objectTSource": "", "phStatus": 2, "riskLevel": "黄色预警", "riskType": "PAY_支付管理", "sceneName": "报销提交环节", "tenant": "集团风险管理部", "zapplycompanyname": "人寿" }, { "applycompanycode": "4100", "applycompanyname": "贵州分公司", "applydepartname": "贵州分公司", "applytime": 1607917578000, "fapplycompanyname": "贵州分公司", "instanceCSource": "APPLYID", "instanceId": "20120060767156", "instanceSource": "报销记录", "instanceTSource": "DWUSER3.FOL_MAIN", "loadTime": 1608148936000, "mainId": "M_FP_0001_03_20120060767156_", "modelId": "M_FP_0001_03", "modelName": "出租车发票同单连号", "object": "", "objectCSource": "", "objectExplain": "连号情况: 22556031_22556029", "objectTSource": "", "phStatus": 1, "riskLevel": "黄色预警", "riskType": "PAY_支付管理", "sceneName": "报销提交环节", "tenant": "集团风险管理部", "zapplycompanyname": "人寿" }, { "applycompanycode": "3800", "applycompanyname": "吉林分公司", "applydepartname": "办公室", "applytime": 1608029034000, "fapplycompanyname": "吉林分公司", "instanceCSource": "APPLYID", "instanceId": "20120060980713", "instanceSource": "报销记录", "instanceTSource": "DWUSER3.FOL_MAIN", "loadTime": 1608062539000, "mainId": "M_PAY_0006_01_20120060980713_E2601496", "modelId": "M_PAY_0006_01", "modelName": "高频小额报销, 疑似拆分报销", "object": "E2601496", "objectCSource": "APPLYUSERID", "objectExplain": "报销提交人工号", "objectTSource": "DWUSER3.FOL_MAIN", "phStatus": 1, "riskLevel": "黄色预警", "riskType": "PAY_支付管理", "sceneName": "报销提交环节", "tenant": "集团风险管理部", "zapplycompanyname": "人寿" }, { "applycompanycode": "3800", "applycompanyname": "吉林分公司", "applydepartname": "培训部", "applytime": 1608025083000, "fapplycompanyname": "吉林分公司", "instanceCSource": "APPLYID", "instanceId": "20120060966544", "instanceSource": "报销记录", "instanceTSource": "DWUSER3.FOL_MAIN", "loadTime": 1608062539000, "mainId": "M_PAY_0006_01_20120060966544_E2601638", "modelId": "M_PAY_0006_01", "modelName": "高频小额报销, 疑似拆分报销", "object": "E2601638", "objectCSource": "APPLYUSERID", "objectExplain": "报销提交人工号", "objectTSource": "DWUSER3.FOL_MAIN", "phStatus": 2, "riskLevel": "黄色预警", "riskType": "PAY_支付管理", "sceneName": "报销提交环节", "tenant": "集团风险管理部", "zapplycompanyname": "人寿" }, { "applycompanycode": "4100", "applycompanyname": "贵州分公司", "applydepartname": "贵州分公司", "applytime": 1607418825000, "fapplycompanyname": "贵州分公司", "instanceCSource": "APPLYID", "instanceId": "20120060404329", "instanceSource": "报销记录", "instanceTSource": "DWUSER3.FOL_MAIN", "loadTime": 1608062539000, "mainId": "M_FP_0001_02_20120060404329_", "modelId": "M_FP_0001_02", "modelName": "出租车发票跨单连号", "object": "", "objectCSource": "", "objectExplain": "关联单号: 20120060131614, 连号情况: 18067004_18067002", "objectTSource": "", "phStatus": 2, "riskLevel": "黄色预警", "riskType": "PAY_支付管理", "sceneName": "报销提交环节", "tenant": "集团风险管理部", "zapplycompanyname": "人寿" } ] } }
```

queryDetailData

```
public static void main(String[] args) {  
    IndexWebService ws = AxisClientBuilder.build().proxy(IndexWebService.class);  
    String data = ws.queryDetailData("M_PAY_0006_01_20070060481683_E2304009");  
    System.out.println(data);  
}
```

反馈结果

```
{
  "code": 1,
  "data": [
    {
      "applycompanycode": "3380",
      "applycompanyname": "保山中心支公司",
      "applydepartname": "潞江坝",
      "applytime": 1594804670000,
      "businessId": "20070060481683",
      "conditionId": "F2_C_014",
      "conditionName": "报销人向前滚动一年报销金额在[850,1000)范围内的频率大于30%",
      "fapplycompanyname": "云南分公司",
      "instanceCSource": "APPLYID",
      "instanceId": "20070060481683",
      "instanceTSource": "DWUSER3.FOL_MAIN",
      "leftName": "报销人向前滚动一年报销金额在[850,1000)范围内的频率",
      "leftValue": ".500000000000000000",
      "loadTime": 1594840927000,
      "mainId": "M_PAY_0006_01_20070060481683_E2304009",
      "modelId": "M_PAY_0006_01",
      "modelName": "高频小额报销, 疑似拆分报销",
      "object": "E2304009",
      "objectCSource": "APPLYUSERID",
      "objectExplain": "报销提交人工号",
      "objectTSource": "DWUSER3.FOL_MAIN",
      "outcome": 0,
      "rightName": "0.3",
      "rightValue": "0.3",
      "sceneId": "F2",
      "sceneName": "报销提交时",
      "tenantId": "集团风险管理部",
      "zapplycompanyname": "人寿"
    },
    {
      "applycompanycode": "3380",
      "applycompanyname": "保山中心支公司",
      "applydepartname": "潞江坝",
      "applytime": 1594804670000,
      "businessId": "20070060481683",
      "conditionId": "F2_C_013",
      "conditionName": "报销人向前滚动一年报销总额大于1万",
      "fapplycompanyname": "云南分公司",
      "instanceCSource": "APPLYID",
      "instanceId": "20070060481683",
      "instanceTSource": "DWUSER3.FOL_MAIN",
      "leftName": "报销人向前滚动一年报销总额",
      "leftValue": "19085.20",
      "loadTime": 1594840927000,
      "mainId": "M_PAY_0006_01_20070060481683_E2304009",
      "modelId": "M_PAY_0006_01",
      "modelName": "高频小额报销, 疑似拆分报销",
      "object": "E2304009",
      "objectCSource": "APPLYUSERID",
      "objectExplain": "报销提交人工号",
      "objectTSource": "DWUSER3.FOL_MAIN",
      "outcome": 0,
      "rightName": "10000",
      "rightValue": "10000",
      "sceneId": "F2",
      "sceneName": "报销提交时",
      "tenantId": "集团风险管理部",
      "zapplycompanyname": "人寿"
    },
    {
      "applycompanycode": "3380",
      "applycompanyname": "保山中心支公司",
      "applydepartname": "潞江坝",
      "applytime": 1594804670000,
      "businessId": "20070060481683",
      "conditionId": "F2_C_012",
      "conditionName": "报销人向前滚动一年报销单量大于10",
      "fapplycompanyname": "云南分公司",
      "instanceCSource": "APPLYID",
      "instanceId": "20070060481683",
      "instanceTSource": "DWUSER3.FOL_MAIN",
      "leftName": "报销人向前滚动一年报销单量",
      "leftValue": "18",
      "loadTime": 1594840927000,
      "mainId": "M_PAY_0006_01_20070060481683_E2304009",
      "modelId": "M_PAY_0006_01",
      "modelName": "高频小额报销, 疑似拆分报销",
      "object": "E2304009",
      "objectCSource": "APPLYUSERID",
      "objectExplain": "报销提交人工号",
      "objectTSource": "DWUSER3.FOL_MAIN",
      "outcome": 0,
      "rightName": "10",
      "rightValue": "10",
      "sceneId": "F2",
      "sceneName": "报销提交时",
      "tenantId": "集团风险管理部",
      "zapplycompanyname": "人寿"
    },
    {
      "applycompanycode": "3380",
      "applycompanyname": "保山中心支公司",
      "applydepartname": "潞江坝",
      "applytime": 1594804670000,
      "businessId": "20070060481683",
      "conditionId": "F2_C_020",
      "conditionName": "该报销单第七位等于6",
      "fapplycompanyname": "云南分公司",
      "instanceCSource": "APPLYID",
      "instanceId": "20070060481683",
      "instanceTSource": "DWUSER3.FOL_MAIN",
      "leftName": "该报销单第七位",
      "leftValue": "6",
      "loadTime": 1594840927000,
      "mainId": "M_PAY_0006_01_20070060481683_E2304009",
      "modelId": "M_PAY_0006_01",
      "modelName": "高频小额报销, 疑似拆分报销",
      "object": "E2304009",
      "objectCSource": "APPLYUSERID",
      "objectExplain": "报销提交人工号",
      "objectTSource": "DWUSER3.FOL_MAIN",
      "outcome": 0,
      "rightName": "6",
      "rightValue": "0.3",
      "sceneId": "F2",
      "sceneName": "报销提交时",
      "tenantId": "集团风险管理部",
      "zapplycompanyname": "人寿"
    }
  ]
}
```

queryObjData

```
public static void main(String[] args) {
    IndexWebService ws = AxisClientBuilder.build().proxy(IndexWebService.class);
    String data = ws.queryObjData("DWUSER3.FOL_MAIN", "APPLYID", "20060060711351");
    System.out.println(data);
}
```

反馈结果

```
{
  "code": 1,
  "data": {
    "data": [],
    "header": "20060060711351",
    "columnInfos": [
      {
        "describe": "申请单号",
        "name": "APPLYID"
      },
      {
        "describe": "填写人姓名",
        "name": "FILLUSERNAME"
      },
      {
        "describe": "报销人姓名",
        "name": "APPLYUSERNAME"
      },
      {
        "describe": "申请机构部门名称",
        "name": "CONVERT_COMPANY_NAME"
      },
      {
        "describe": "申请单类型名称",
        "name": "APPLYTYPENAME"
      },
      {
        "describe": "事由",
        "name": "DESCRIPTION"
      },
      {
        "describe": "报销类型",
        "name": "BX_TYPE"
      },
      {
        "describe": "业务类型名称",
        "name": "BUSINESSTYPENAME"
      },
      {
        "describe": "状态",
        "name": "STATUS"
      },
      {
        "describe": "核定合计金额",
        "name": "CHECKAMOUNTSUM"
      },
      {
        "describe": "提交时间",
        "name": "APPLYTIME"
      },
      {
        "describe": "是否销售费用标志(1:是; 0:否)",
        "name": "SALEFEFFLAG"
      },
      {
        "describe": "核定标志(1:已核定; 0:未核定)",
        "name": "CHECKFLAG"
      },
      {
        "describe": "出差类型名称",
        "name": "TRAVELTYPENAME"
      },
      {
        "describe": "填写时间",
        "name": "FILLTIME"
      },
      {
        "describe": "填写人工号",
        "name": "FILLUSERID"
      },
      {
        "describe": "报销人工号",
        "name": "APPLYUSERID"
      },
      {
        "describe": "申请单类型代码",
        "name": "APPLYTYPECODE"
      },
      {
        "describe": "业务类型代码",
        "name": "BUSINESSTYPECODE"
      },
      {
        "describe": "审核前金额",
        "name": "AMOUNT"
      },
      {
        "describe": "核减前合计金额",
        "name": "AMOUNTSUM"
      }
    ],
    "tableStyles": [
      {
        "fieldColno": 1,
        "fieldDescribe": "申请单号",
        "fieldName": "APPLYID",
        "fieldVisibleStatus": 1,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 2,
        "fieldDescribe": "填写人姓名",
        "fieldName": "FILLUSERNAME",
        "fieldVisibleStatus": 1,
        "fieldWidthWeight": 0.05,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 3,
        "fieldDescribe": "报销人姓名",
        "fieldName": "APPLYUSERNAME",
        "fieldVisibleStatus": 1,
        "fieldWidthWeight": 0.05,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 4,
        "fieldDescribe": "申请机构部门名称",
        "fieldName": "CONVERT_COMPANY_NAME",
        "fieldVisibleStatus": 1,
        "fieldWidthWeight": 0.15,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 5,
        "fieldDescribe": "申请单类型名称",
        "fieldName": "APPLYTYPENAME",
        "fieldVisibleStatus": 1,
        "fieldWidthWeight": 0.05,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 6,
        "fieldDescribe": "事由",
        "fieldName": "DESCRIPTION",
        "fieldVisibleStatus": 1,
        "fieldWidthWeight": 0.15,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 7,
        "fieldDescribe": "报销类型",
        "fieldName": "BX_TYPE",
        "fieldVisibleStatus": 1,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 8,
        "fieldDescribe": "业务类型名称",
        "fieldName": "BUSINESSTYPENAME",
        "fieldVisibleStatus": 1,
        "fieldWidthWeight": 0.15,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 9,
        "fieldDescribe": "状态",
        "fieldName": "STATUS",
        "fieldVisibleStatus": 1,
        "fieldWidthWeight": 0.05,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 10,
        "fieldDescribe": "核定合计金额",
        "fieldName": "CHECKAMOUNTSUM",
        "fieldVisibleStatus": 1,
        "fieldWidthWeight": 0.05,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 11,
        "fieldDescribe": "提交时间",
        "fieldName": "APPLYTIME",
        "fieldVisibleStatus": 1,
        "fieldWidthWeight": 0.05,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 12,
        "fieldDescribe": "是否销售费用标志(1:是; 0:否)",
        "fieldName": "SALEFEFFLAG",
        "fieldVisibleStatus": 0,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 13,
        "fieldDescribe": "核定标志(1:已核定; 0:未核定)",
        "fieldName": "CHECKFLAG",
        "fieldVisibleStatus": 0,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 14,
        "fieldDescribe": "出差类型名称",
        "fieldName": "TRAVELTYPENAME",
        "fieldVisibleStatus": 0,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 15,
        "fieldDescribe": "填写时间",
        "fieldName": "FILLTIME",
        "fieldVisibleStatus": 0,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 16,
        "fieldDescribe": "填写人工号",
        "fieldName": "FILLUSERID",
        "fieldVisibleStatus": 0,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 17,
        "fieldDescribe": "报销人工号",
        "fieldName": "APPLYUSERID",
        "fieldVisibleStatus": 0,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 18,
        "fieldDescribe": "申请单类型代码",
        "fieldName": "APPLYTYPECODE",
        "fieldVisibleStatus": 0,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 19,
        "fieldDescribe": "业务类型代码",
        "fieldName": "BUSINESSTYPECODE",
        "fieldVisibleStatus": 0,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 20,
        "fieldDescribe": "审核前金额",
        "fieldName": "AMOUNT",
        "fieldVisibleStatus": 0,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      },
      {
        "fieldColno": 21,
        "fieldDescribe": "核减前合计金额",
        "fieldName": "AMOUNTSUM",
        "fieldVisibleStatus": 0,
        "fieldWidthWeight": 0.1,
        "tableWithSchema": "DWUSER3.FOL_MAIN"
      }
    ]
  }
}
```

updatePhDetails

```
public static void main(String[] args) {
    IndexWebService ws = AxisClientBuilder.build().proxy(IndexWebService.class);
    String data = ws.updatePhDetails("M_PAY_0006_01_20120060805437_E2601638",
        "wanghf46", false, "核赔意见test20211126");
    System.out.println(data);
}
```

反馈结果

```
{"code":1,"data":{"phMsg":"已处置未关闭","phStatus":1,"addStatus":true,"details":
[{"mainId":"M_PAY_0006_01_20120060805437_E2601638","oaId":"wanghf46","phDatetime":1637918165000,"p
hDeetail":"核赔意见test20211126"}]}}
```

前端效果

核赔意见test20211126 wanghf46 2021-11-26 17:16:05

当前处置状态: 已处置未关闭

请输入处置意见

处置并关闭 处置暂不关闭

queryModelNamesByRiskCategory

```
public static void main(String[] args) {
    IndexWebService ws = AxisClientBuilder.build().proxy(IndexWebService.class);
    String data = ws.queryModelNamesByRiskCategory("PAY_支付管理",
        "出租车发票跨单连号,供应商数据不一致(付款数据/EPS合同数据)");
    System.out.println(data);
}
```

反馈结果

```
{"code":1,"data":[{"name":"出租车发票跨单连号","checked":true}, {"name":"出租车发票同单连号","checked":false}, {"name":"供应商名称不一致 (EPS合同乙方/中标供应商)","checked":false}, {"name":"供应商数据不一致 (付款数据/EPS合同数据)","checked":true}, {"name":"付款数据不一致 (支付金额/EPS应付金额)","checked":false}, {"name":"供应商名称不一致 (付款账户/CMP合同乙方)","checked":false}, {"name":"供应商名称不一致 (付款账户/EPS合同乙方)","checked":false}, {"name":"高频高额跨成本中心招待费报销","checked":false}, {"name":"高频小额报销,疑似拆分报销","checked":false}, {"name":"账户类型、名称与账号不匹配","checked":false}]}
```

queryFolJgdjs

```
public static void main(String[] args) {  
    IndexWebService ws = AxisClientBuilder.build().proxy(IndexWebService.class);  
    String data = ws.queryFolJgdjs("710");  
    System.out.println(data);  
}
```

反馈结果

```
{"code":1,"data":[{"applycompanycode":"4100","applycompanyname":"贵州分公司",  
"fapplycompanyname":"贵州分公司","zapplycompanyname":"人寿"}, {"applycompanycode":"3800","applycompanyname":"吉林分公司",  
"fapplycompanyname":"吉林分公司","zapplycompanyname":"人寿"}, {"applycompanycode":"1820","applycompanyname":"湖州中心支公司",  
"fapplycompanyname":"浙江分公司","zapplycompanyname":"人寿"}]}
```

queryRiskTypes

```
public static void main(String[] args) {  
    IndexWebService ws = AxisClientBuilder.build().proxy(IndexWebService.class);  
    String data = ws.queryRiskTypes();  
    System.out.println(data);  
}
```

反馈结果

```
{"code":1,"data":["PAY_支付管理","SM_供应商管理"]}
```

queryPhStatus

```
public static void main(String[] args) {  
    IndexWebService ws = AxisClientBuilder.build().proxy(IndexWebService.class);  
    String data = ws.queryPhStatus("0,1");  
    System.out.println(data);  
}
```

反馈结果

```
{"code":1,"data":[{"code":0,"name":"未处置","checked":true}, {"code":1,"name":"已处置未关闭","checked":true}, {"code":2,"name":"已关闭","checked":false}]}
```


应惟伟(xn_yingww)